

NOS Systems

The Leader In Nitrous. For 28 years NOS has been pioneering the nitrous industry with the most dominant nitrous products, sales, service, tech support, and customer satisfaction. Drag racing is at the backbone of NOS, in fact almost every major nitrous milestone in racing has come from an NOS system. Put the nitrous leader to work for you-NOS!



MUSTANG NITROUS SYSTEMS

4.6L system pumps out an additional 100 to 125 horsepower from your Supercharged Cobra with this wet plate system from NOS. When installed correctly on the 4.6L 4V engine, this system is designed to work with stock internal engine and driveline components, however colder spark plugs are required.

Features of the 2005 System include: safe jetting provides proven power; supplied fuel rail adapter requires no fuel system modifications; on demand power does not affect daily driving characteristics and patented WOT/Window switch & billet switch panel for arming switches.

APPLICATION

Ford Cobra '03-'04 4V 4.6L (100-125 HP)
Ford Mustang 2005 (Up to 75 HP)

PART NO.

02120NOS
02121NOS



GM LS1/LS2 EFI NITROUS SYSTEM

The NOS LS1/LS2 plate system uses a billet plate with no spray bars. This unique design allows better atomization which prevents puddles in your manifold and provides the best cylinder to cylinder distribution for maximum power. This is no ordinary low HP kit. The plate and solenoids supplied will easily support 250HP. Kit includes stainless jets for 100,125 and 150HP, nitrous line, nitrous and fuel solenoids, throttle body gaskets and bolts, Corvette micro-switch bracket, fuel and nitrous hoses, a 10lb bottle and various wiring components to complete installation.

APPLICATION

GM LS1 (100-250 HP)
GM LS2 (100-250 HP)

PART NO.

05168NOS
05169NOS



POWER FOGGER EFI WET KIT

Injection Type: Nozzle • Adjustable: Yes

Universal "Wet" has nitrous systems for 4 and 6 Cylinder engines. The 05130NOS system is great for vehicles where a NOS application-specific kit is not available. This "Wet" system provides 35 to 75 adjustable horsepower utilizing the NOS "Soft-Plume" fogger nozzle for superior nitrous and fuel distribution. This system comes complete with 10lb blue bottle, brackets, solenoids, "Soft-Plume" fogger nozzle, braided hose, micro-switch and everything needed for a clean and simple installation.

APPLICATION

Universal Wet Nitrous Kit for 4 & 6 Cylinder Multi-Point EFI Engines w/10 lb. Bottle (35 to 75 HP)
Universal Wet Nitrous Kit for 8 Cylinder Multi-Point EFI Engines w/10 lb. Bottle (75 to 125 HP)

PART NO.

05130NOS
05131NOS



FORD 5.0L EFI DRY SYSTEM

Injection Type: Nozzle • Adjustable: No

The Ford modular engine is a natural for nitrous applications. This entry level system is a highly effective dry nitrous system for the 5.0L Mustang. This is the basic dry system that injects nitrous into the intake tract while the extra fuel is delivered by the EFI system. It will produce a conservative 75-100 extra horsepower.

APPLICATION

Mustang 5.0 Dry System Stage I 75HP with 10 lb. bottle

PART NO.

05115NOS



SNEEKY PETE™ "It's Only Cheating If You Get Caught"

The Sneaky Pete was designed as a true "cheater kit". This kit will allow a user to obtain that extra tenth of a second without being obvious. Designed as a very compact, simple to use nitrous only injection system, it will be necessary to jet carburetors a little richer while being "sneaky" since no additional fuel source is utilized. The kit comes complete with a super slim 10 oz. bottle, a nitrous solenoid, nylon nitrous line, wiring, 9V battery holder and an assortment of jets.

DESCRIPTION

All carbureted applications only

PART NO.

05029NOS



DIESEL NITROUS SYSTEM (All Diesel Applications)

If you think the torque of that monster diesel is something to brag about then you should feel it with the extra power of NOS. This kit works with stock and modified applications. Vehicles with computer upgrades will benefit even more as Nitrous will aid in a clean combustion. Comes complete with 10lb bottle, bottle brackets, Nitrous feed line, large Nitrous solenoid, electrical wiring and complete instructions.

DESCRIPTION

All Diesel Applications w/10 lb. Bottle

PART NO.

02519NOS



Some parts are not legal for sale or use in California on any pollution controlled motor vehicle.



NOS Systems

The Leader In Nitrous. For 28 years NOS has been pioneering the nitrous industry with the most dominant nitrous products, sales, service, tech support, and customer satisfaction. Drag racing is at the backbone of NOS, in fact almost every major nitrous milestone in racing has come from an NOS system. Put the nitrous leader to work for you-NOS!



PRO SHOT FOGGER NITROUS SYSTEM

Max Horsepower: 150-500+ • Injection Type: Nozzle • Adjustable: Yes

The Pro Shot Fogger utilizes patented Fogger2 Nozzle technology for excellent combustion, distribution and adjustability, allowing each cylinder to be injected with a precise cool, dense fuel laden Nitrous "fog" mixture. Featuring our Super Pro Shot solenoids, power levels may be adjusted from 150 HP, to well above 500 extra HP. The Pro Shot Fogger system is designed primarily for highly modified V8 engines built with race quality components. The Pro Shot Fogger System includes a 10 lb. capacity Nitrous bottle, Super Pro Shot Nitrous and Cheater fuel solenoids, Fogger2 nozzles jetting from 250 to 450 extra HP, aircraft quality steel braided hose and all other necessary electrical/ mounting hardware for a complete installation. Requires removal of intake Manifold for plumbing.

DESCRIPTION

All V8s EFI or Carbureted Competition Engines

PART NO.

02462NOS



BIG SHOT NITROUS SYSTEM "The World's Most Powerful Single Stage Plate Nitrous System!"

Max Horsepower: 200-400 • Injection Type: Nozzle • Adjustable: Yes

System uses a special "fogging" plate design that vastly improves Nitrous flow, fuel atomization and mixture distribution. This Big Shot plate utilizes a unique spray bar that is equipped with tiny orifices that are precisely located to efficiently dispense a powerful nitrous/gasoline mixture for unbelievable horsepower. Single stage Big Shot systems incorporate a NOS Pro Shot Nitrous solenoid with -6 AN Nitrous supply line. Systems include a variety of power jets, bottle, 1/2" fogging plate, filters, fittings for fuel and nitrous, switches and all electrical and other hardware necessary for installation. For use on engines that have been extensively modified for competition applications.

DESCRIPTION

Holley 4-barrel flange with 10 lb. bottle
Holley DOMINATOR flange with 10 lb. bottle

PART NO.

02101NOS

02102NOS



CHEATER NITROUS SYSTEM

Max Horsepower: 150-250 • Injection Type: Nozzle • Adjustable: Yes

The NOS Cheater system is designed for use on 350 CID or larger, carbureted engines. It uses large Nitrous and fuel solenoids and can be adjusted to any desired power level from 150 to 250 horsepower, in a matter of seconds. Cheater systems are easy to install and utilize a 1/2" thick injector plate which fits between the Carburetor and intake Manifold to provide ample hood clearance. Available in both single stage and dual-stage models. Cheater systems include a 10 lb. Nitrous bottle, four (4) stages of jets, aircraft-quality steel braided line and all other necessary electrical and mounting hardware for a complete installation.

DESCRIPTION

Holley V8 4-barrel/Carter AFB (late) flange
Holley DOMINATOR flange

PART NO.

02001NOS

02002NOS



Image may vary slightly from actual product.

POWERSHOT™

Max Horsepower: 125 • Injection Type: Nozzle • Adjustable: No

Powershot™ system is easy to install, has a thin injector plate 0.5" and accurate spray bars. Get a smooth power-rush with fuel economy unaffected. This system is not adjustable

DESCRIPTION

Holley/Carter 4-barrel with 10 lb. bottle
Spread Bore 4-barrel with 10 lb. Bottle

PART NO.

05001NOS

05004NOS



SUPER POWERSHOT™

Max Horsepower: 100-150 • Injection Type: Nozzle • Adjustable: Yes

Super Powershot™ systems include a NOS Jet Pack and can be adjusted to three different power levels, 100 HP, 125 HP and 150 HP. Each system comes standard with a 10 lb. bottle, aircraft-quality stainless steel braided hose, injector plate, solenoids and all other necessary electrical and mounting hardware for a complete installation.

DESCRIPTION

Holley V8 4-barrel/Carter AFB flange

PART NO.

05101NOS



SNIPER NITROUS SYSTEM "The Best ENTRY-LEVEL Nitrous System On The Market!"

The Sniper is the economical "entry-level" kit that simply blows away competitive kits. Developed to introduce enthusiasts to the use of nitrous at a very affordable price. This system is a safe and reliable street/strip system that fits all popular 4 bbl. applications. Fully adjustable system that is designed to provide from 100-150 extra horsepower. Comes race ready right out-of-the-box with all necessary components, including a distinctive bright orange 10 lb.bottle with the industry standard industrial valve, adjustable plate with jets, solenoids, plus all required lines, hoses, fittings, clamps and a detailed instruction sheet to make installation simple.

DESCRIPTION

Standard Holley 4-barrel
Quadrajet 4-barrel
EFI applications - Universal 8 cylinder engines
Universal Wet Kit - 4 & 6 cylinder engines

PART NO.

07001NOS


07004NOS

07006NOS

07005NOS

NOS Components & Accessories

The Leader In Nitrous. For 28 years NOS has been pioneering the nitrous industry with the most dominant nitrous products, sales, service, tech support, and customer satisfaction. Drag racing is at the backbone of NOS, in fact almost every major nitrous milestone in racing has come from an NOS system. Put the nitrous leader to work for you-NOS!



REMOTE BOTTLE VALVE

The NOS Remote Bottle Valve is the perfect convenience accessory for electronically turning a nitrous bottle on and off. A simple flick of the switch eliminates the chore of opening the trunk to turn your bottle on or off. Also great as a safety shut off valve, it operates on 12 volts DC and fits in line with 5 lb. or larger nitrous bottles. Comes complete with all necessary hardware and easy to install wiring instructions. Additional fitting required for -6AN supply line connection.

Part No. 16058NOS



SUPER HI-FLO VALVE

NOS has done it again! With an orifice that flows 249% more than the standard industrial valve used by most competitors, the new Super Hi-Flo valve provides better flow for more consistency and power in today's monster engines.

The Super Hi-Flo valve features specially designed passages to maximize flow rate and velocity, twin gauge ports for the attachment of a nitrous pressure gauge or other performance accessories, the exclusive NOS safety venting system with -8AN fitting for professional in-car blow down tube, and a standard 660 automotive connection.

Part No. 16139NOS 10 lb., 7" dia., 19" tall



BOTTLE BLANKET

An excellent accessory to help stabilize bottle temperature by keeping heat in and cold out. It is an excellent companion to the NOS bottle heater.

Part No. 14165NOS 7" Dia., 10 lb. bottle



AUTOMATIC PRESSURE TRANSDUCER BOTTLE HEATER

The bottle heater regulates the bottle pressure by using a pressure transducer and heater element. The pressure transducer turns the heater element on when pressure drops below the preset pressure setting warming the bottle. Once the bottle returns to the preset pressure it shuts the heater off. Works with both 10 lb. and 15 lb. bottles. The transducer will fit all NOS bottle valves with a gauge port or a 4AN nitrous line using supplied fittings. The bottle heater will operate on 12 or 18 volt systems.

Part No. 14169NOS



BOTTLE HEATER

NOS systems are calibrated for optimum performance with a bottle pressure of 900-950 PSI. Heater kits are thermostatically controlled to keep the bottle at correct pressure.

Part No. 14164NOS 10/15 lb. bottles, 12-volt



NITROUS BOTTLES - BLUE & POLISHED

NOS offers D.O.T. approved aluminum nitrous bottles in a variety of sizes, complete with CGA approved chrome Hi-Flo Valve and built-in siphon tubes. Available in blue or polished.

DESCRIPTION	BLUE	POLISHED
10 oz.	14700NOS	14700-PNOS
1 lb.	14705NOS	14705-PNOS
2 lb.	14710NOS	14710-PNOS
2-1/2 lb.	14720NOS	14720-PNOS
5 lb.	14730NOS	14730-PNOS
10 lb.	14745NOS	14745-PNOS
15 lb.	14750NOS	----
20 lb.	14760NOS	----

CARBON FIBER NITROUS BOTTLE

Part No. 14747NOS 12.8 lb. bottle



BOTTLE VALVE OPENER

Allows users to open their nitrous bottle valve at the touch of a button. Exclusive low profile design fits all NOS 5 lb. and larger bottle valves. Top quality NOS blue anodized finish.

Part No. 14168NOS

BILLET ALUMINUM BOTTLE BRACKETS

These brackets are precision CNC machined from solid billet aluminum for high strength and great looks. Also available for dual bottle style.



STANDARD BOTTLE BRACKETS

Designed to securely hold your nitrous bottle at the proper angle for maximum flow through the siphon tube. Available in steel with black vinyl coating, or nylon. Quick-Release aluminum models also available.

DESCRIPTION	PART NO.
Billet Aluminum Brackets	
10 lb. & 15 lb. 7" dia. bottles	14130NOS
Standard Brackets	
2/2-1/2 lb., (1pc.), 4-3/8" dia., (steel)	14100NOS
1 lb., (1pc.), 3-1/8" dia., (steel)	14105NOS
5 lb., 5-1/4" dia., (steel)	14110NOS
10 lb., old style, 6-3/4" dia., (steel)	14120NOS
10/15 lb., new style, 7" dia., (steel)	14125NOS
20 lb., 8" dia., (steel) Quick Release	14150NOS
Hinged Alum. for Carbon Fiber Bottle	14147NOS

BOTTLE COMPONENTS

DESCRIPTION	PART NO.
Nitrous Safety Blow-Off Cap, 5 lb. and Larger bottles	16150NOS
Nitrous Bottle Blow Down Tube	16160NOS
Racer Safety Blow-Off Adapter, -8AN (2nd generation Hi-Flo/Super Hi-Flo)	16166NOS
Bottle Nut Washer (Teflon), 5 lb. Bottles and Up	16210NOS



NITROUS PRESSURE GAUGES

The Fuel Pressure Gauge is an important component for maximizing and tuning your nitrous system, because bottle pressure changes with temperature and fuel pressure compensation may be necessary. Available in liquid filled.

DESCRIPTION	PART NO.
0-1500 PSI	
1-1/2" Dia., w/-4AN Adapter	15910NOS
1-1/2" Dia., w/-6AN Adapter	15912NOS



BOTTLE NUT ADAPTER (5 lb. Bottles & Up)

DESCRIPTION	PART NO.
-6AN-660 w/washer	16230NOS
-4AN-660 w/washer	16220NOS
Bottle Nut Washer	16210NOS





NOS Components & Accessories

The Leader In Nitrous. For 28 years NOS has been pioneering the nitrous industry with the most dominant nitrous products, sales, service, tech support, and customer satisfaction. Drag racing is at the backbone of NOS, in fact almost every major nitrous milestone in racing has come from an NOS system. Put the nitrous leader to work for you-NOS!

LAUNCHER™ NITROUS CONTROLLER

The Launcher combines all the functions a nitrous racer could ever want into a single, easy-to-use controller. It can be programmed to independently control up to 4

stages of nitrous from a laptop computer or via an available full control 3.5" LCD touch-screen. Easy to use graphical software makes the Launcher a breeze to program. The Launcher is available in 3 basic configurations. The Launcher controller only, the Launcher controller with 3.5" color LCD touch-screen (includes stylus and mini SD card for data-logging) or the Launch controller with the hand-held tuner for data-logging and quick changes in the staging lanes.

THREE METHODS OF DELIVERY:

RPM Based

- Programmable trigger & end RPM points
- Adjustable from 0-20,000 RPM

Time Based

- Programmable RPM trigger set point
- Programmable delay time & ramp time
- Adjustable from 0-10 seconds

MAP (Boost) Based

- Programmable RPM trigger set point
- Programmable MAP trigger & MAP end points
- Adjustable from -14.7 to 85 PSI

DESCRIPTION

DESCRIPTION	PART NO.
Launcher w/LCD Display	15975NOS
Launcher w/Hand-Held Display	15976NOS
Launcher Slave Controller	15978NOS
Launcher Wideband (Cont. Only)	15979NOS

Nitrous Percentage

- Programmable start & final percentage
- Adjustable from 0-100%

SAFETY FEATURES:

- Rich or lean cutoff based off of A/F ratios
- Nitrous pressure when using a nitrous pressure sensor
- MAP (boost) pressure cutoff
- RPM cutoff



*The
Best Thing
in Nitrous since
Nitrous Oxide!*

MINI 2-STAGE PROGRESSIVE NITROUS CONTROLLER

Featuring two completely independent stages of Nitrous control, each with its own throttle position activation switch and progressive ramps. It allows you to get the most out of your Nitrous system and put more power to the ground when traction is at its best. RPM on/off control eliminates the need for a window switch and allows you to turn the Nitrous off and on at set points. It also features two programmable outputs, so you can control timing retard or other devices. With the hand held programmer, it makes programming quick and simple and allows you to mount the main box out of site.

Part No. 15974NOS



P.O.D. (Pressure On Demand) NITROUS PRESSURE CONTROLLER

Designed to control a remote bottle opener along with a bottle heater with just the push of a button. Features a blue LCD screen for easy monitoring and the ability to hold accurate bottle pressure within 1% of the target pressure. It works by monitoring bottle pressure thru a pressure transducer based on a user set target pressure. Will also automatically cycle the bottle heater on and off to maintain the preset bottle pressure. The P.O.D. takes all the guesswork out of trying to maintain correct bottle pressure

APPLICATION

P.O.D. Controller Only	14180NOS
P.O.D. Controller w/Heater	14181NOS
P.O.D. Controller w/Heater & Bottle Opener	14182NOS

PART NO.



DIGI-SET TIME DELAY RELAY SWITCH (DIP Switch)

Allows you to activate a second or third stage of Nitrous (or other electronic device) as a function of time. Delay is easily set from 1/10th of a second to almost two minutes, in 1/10th second increments, by setting the small switches on the top of the timer. Available with DIP switch settings.

Part No. 15838ANOS



DRY TO WET CONVERSION KIT

This simple kit allows users to convert their existing "Dry" kit to hard hitting "Wet" nitrous. Thousands of existing "Dry" kit users can now have "Wet" Nitrous without buying another complete kit.

Part No. 0031NOS



ELECTRICAL COMPONENTS

APPLICATION

APPLICATION	PART NO.
Covered Toggle Switch	15606NOS
Push-button (momentary) Switch	15610NOS
Micro-switch and Bracket	15640NOS
Remote Nitrous Push-button (waterproof)	15651NOS



INTIMIDATOR ILLUMINATED LED PURGE KIT

Create a smoke and light show on your street car or just intimidate your opponents at the races with an Intimidator purge kit. The Intimidator kits use 5 bright blue LEDs to light up a plume of Nitrous each time the purge button is pushed.

APPLICATION

For all nitrous kits with a -4AN feed line	16033NOS
LED Upgrade kit for existing purge systems	16039NOS
Purge Kit with 5 lb. Bottle	16028NOS
Purge Kit with 10 lb. Bottle	16029NOS

PART NO.



PURGE VALVE KIT

Designed to "purge" nitrous at the solenoid(s) for instant and consistent nitrous injection. Bleeds accumulated nitrous vapors from the supply lines.


APPLICATION

APPLICATION	PART NO.
-4AN Line purge kit	16030NOS
-6AN Line purge kit	16032NOS



NOS Components & Accessories

The Leader In Nitrous. For 27 years NOS has been pioneering the nitrous industry with the most dominant nitrous products, sales, service, tech support, and customer satisfaction. Drag racing is at the backbone of NOS, in fact almost every major nitrous milestone in racing has come from an NOS system. Put the nitrous leader to work for you-NOS!



16020NOS 16020-CNOS 16010NOS



16050NOS 16045-CNOS

SOLENOIDS

State-of-the art solenoids for N2O, gasoline and exotic fuel applications. Stainless steel or brass bodies, top quality seals for ultra-longer life. For Power Shot, Super Power Shot, Sportsman Fogger & many EFI systems. Others available.

DESCRIPTION	PART NO.
-------------	----------

Super Power Shot Systems

Nitrous Solenoid	16020NOS
Nitrous Solenoid, Polished Chrome	16020-CNOS
Fuel Solenoid	16080NOS
Fuel Solenoid, Polished Chrome	16080-CNOS

Cheater Systems

Nitrous Solenoid	16000NOS
Nitrous Solenoid, Polished Chrome	16000-CNOS
Fuel Solenoid	16050NOS
Fuel Solenoid, Polished Chrome	16050-CNOS

Super Pro Shot

Nitrous Solenoid	16045NOS
Nitrous Solenoid, Polished Chrome	16045-CNOS

Super Big Shot

Nitrous Solenoid	16010NOS
------------------	----------

Nitro/Alky

Fuel Solenoid	16060NOS
---------------	----------



REPLACEMENT JET SETS FOR PLATES AND FOGGERS

DESCRIPTION	PART NO.
-------------	----------

Super Powershot 100, 125, 150HP	13721NOS
Cheater 150, 180, 210, 250HP	13726NOS



INJECTOR PLATES

Plates to suit virtually any need, single or multi carbs, fuel injection or supercharged. Available for those who want to build their own system or upgrade their current system. Others available.

APPLICATION	PART NO.
-------------	----------

Holley/Carter AFB (late) 4bbl., Cheater w/jets & plumbing, V8	12500NOS
--	----------

MICRO SWITCH

Allows full throttle activation of nitrous system. Use where a manual activation switch is inconvenient or as a safety device that prevents the nitrous system from activating unless you are at full throttle. All NOS systems are designed for use under full throttle conditions only. Also great for use in our dual or multi-stage systems. Easy to install with mounting bracket.

Part No. 15640NOS



2 STAGE WOT/RPM ACTIVATED WINDOW SWITCH

Small, compact, user friendly unit with 2 fully programmable independent RPM window switches that operate from 0-20,000 RPM for anything from a low rpm engine to a high revving sport bike. It has the capability to read a rising or falling throttle position sensor for accurate activations every time.

Part No. 15982NOS



SHIFT HANDLE SWITCHES

Recessed thumb-operated trigger button in the handle allows for manual activation of nitrous. This shift handle is available in threaded shift-lever hole sizes.

DESCRIPTION	PART NO.
-------------	----------

Remote switch w/ spring coiled cord	15651NOS
-------------------------------------	----------



FOGGER NOZZLES

The NOS line of Fan Spray or Jet Spray nozzles is designed to be used as independent nozzles for nitrous and fuel where installation restrictions might make the Fogger Nozzle impractical. Fan Spray nozzles are fully adjustable with a simple jet change and feature injection at a 90° angle much like the NOS Fogger2 Nozzle.

DESCRIPTION	PART NO.
-------------	----------

Fogger Nozzle, Standard.	13700NOS
Fogger Nozzle, Stainless Steel	13700RNOS
Fogger 2™ Nozzle	13700BNOS
Fogger Nozzle, Soft Plume 90°, SS	13716NOS



STAINLESS STEEL BRAIDED HOSES

NOS premium grade stainless steel braided hoses come in virtually any length. They are all Teflon lined with stainless steel outer covering for strength and resistance to abrasion. All NOS lines are configured for a superior flow to strength ratio.

DESCRIPTION	PART NO.
-------------	----------

-4AN 14-Foot Blue	15295NOS
-------------------	----------



NITROUS FILTER

Keep contaminants from attacking the solenoid and plugging the jet. Standard replacement. 1/8" NPT x -4AN Power Shot.

Part No. 15570NOS

FUEL PRESSURE SAFETY SWITCH

Prevents nitrous system from engaging when the fuel pressure is below a safe level. Easy to install.

Part No. 15750NOS



Edelbrock

Nitrous Systems

Edelbrock is known for innovative products, and our new Nitrous Systems are no exception... All Edelbrock Nitrous Systems are dyno-tested and calibrated to deliver accurate and safe horsepower gains with even distribution to each cylinder. Available from 50 to 500+ horsepower, Edelbrock Nitrous Systems and components are the quickest and easiest way to get large horsepower increases with a minimum of engine modifications and expense.



BOTH SYSTEMS NOW AVAILABLE WITH POLISHED BOTTLE

PERFORMER NITROUS SYSTEM

Edelbrock Performer Nitrous Systems are for carbureted V8 applications with standard flange or spread-bore carburetors. Three ranges of adjustability provide power increases in steps of 50, 75 or 100 extra horsepower by changing fuel and nitrous jets. Performer Nitrous Systems include a 10 lb. capacity nitrous bottle (shipped empty), nitrous and fuel solenoids, spray bar plate, aircraft quality steel braided hose, nitrous and gasoline filters, jet selection, aircraft quality fittings, and all necessary switches, brackets, and hardware for a complete installation.

DESCRIPTION	PART NO.
Standard Flange Carburetors	70001
Spread Bore Carburetors	70002
Standard Flange 50-100 HP Kit w/Polished Bottle	70031
Spread Bore 50-100 HP Kit w/Polished Bottle	70032



PERFORMER RPM NITROUS SYSTEM

Edelbrock Performer RPM Nitrous Systems are for carbureted 350 cubic-inch or larger V8 applications with standard flange, spread-bore or 4500 series carburetors. Five ranges of adjustability provide power increases in steps of 100, 125, 150, 200 or 250 extra horsepower by changing fuel and nitrous jets. Performer RPM Nitrous Systems include a 10 lb. capacity nitrous bottle (shipped empty), nitrous and fuel solenoids, spray bar plate, aircraft quality steel braided hose, nitrous and gasoline filters, jet selection, aircraft quality fittings, and all necessary switches, brackets, and hardware for a complete installation.

DESCRIPTION	PART NO.
Standard Flange Carburetors	70050
Standard Flange 100-250 HP Kit w/Polished Bottle	70033



EFI NITROUS SYSTEMS

Our dry nitrous systems interface with the OE fuel system and increase fuel flow to the existing fuel injectors and our wet systems use a nozzle to supply both nitrous and additional fuel.

EFI Systems include:

- 10-lb. bottle, powder-coated silver finish
- Nitrous solenoids
- Aircraft quality steel braided hose
- Nitrous filter
- Stainless steel jet selection
- Aircraft quality fittings
- Switches
- Brackets
- Hardware for a complete installation.

APPLICATION	PART NO.
C5 Corvette with LS1 and LS6 (75-100-125 HP)	70202
Camaro/Firebird LS1 (80-100-125 HP)	70200
Camaro/Firebird LT1 (80 HP)	70205
Chrysler 5.7L/6.1L HEMI (40-60-80 HP)	70216
Mustang 1986-95 5.0L & 1996-98 4.6L (80 HP)	70400
Mustang 1999-04 4.6L (80 HP)	70405
Mustang 2005-08 V6 (50-75 HP)	70415

Includes a fuel pump voltage booster for additional fuel delivery.

UNIVERSAL PERFORMER EFI NITROUS SYSTEMS

Performer EFI Nitrous Systems are easy to install and are designed to interface with the on-board power-train computer, producing an emissions-friendly nitrous boost from 50 to 125 horsepower. Performer EFI nitrous kits won't harm emissions components, such as catalytic converters and oxygen sensors. The extra fuel for the boost in horsepower comes from the interface between the nitrous system and the factory computer. Performer EFI Nitrous Systems include a 10-lb. capacity nitrous bottle (shipped empty), nitrous solenoid, aircraft quality steel braided hose, nitrous filter, jet selection, aircraft quality fittings, and all necessary switches, brackets, and hardware for a complete installation.

DESCRIPTION	PART NO.
Universal EFI Dry Kit w/10 lb. bottle (50-70 HP Adjustable)	71000
Universal EFI Wet Kit w/10 lb. bottle (50-70 HP Adjustable)	71820