



RUSSELL

Russell Performance has been the leader in advanced fluid transfer for over a quarter of a century. We manufacture a complete line of hose and fittings for fuel, brake, water and oil systems for automotive, motorcycle and marine.

FUEL FILTERS Competition Fuel Filters

| Description | Length | Diameter | Inlet/Outlet | Part # |
|---------------------|--------|----------|---------------|--------|
| Red/Blue | 3" | 1-1/4" | -6 Male | 650130 |
| Black Anodized | 3" | 1-1/4" | -6 Male | 650133 |
| Polished Aluminum | 3" | 1-1/4" | -6 Male | 650140 |
| Red/Blue | 3-1/4" | 1-1/4" | -8 Male | 650100 |
| Black Anodized | 3-1/4" | 1-1/4" | -8 Male | 650103 |
| Polished Aluminum | 3-1/4" | 1-1/4" | -8 Male | 650110 |
| Red/Blue | 3-1/4" | 1-1/4" | -8 x 3/8" NPT | 650170 |
| Replacement Element | --- | --- | --- | 651670 |

6" PROFILTER

Machined in house from 6061-T6, our ProFilter or EFI systems utilizes an aircraft designed 10 micron pleated paper element that insures the maximum filtration while delivering large volumes of fuel. The -10 inlet and outlet ports incorporate O-Ring boss sealing technology for leak free connections. Professional anodized in Black/Silver for unsurpassed appearance. Mounting clasp included.

| Description | Length | Inlet/Outlet | Element | Part # |
|---------------------|--------|--------------|-----------|--------|
| Anodized Aluminum | 6" | -10 | 10 micron | 649250 |
| Replacement Element | --- | --- | --- | 649255 |

ALUMINUM FUEL LINES

- Available in 25 ft. rolls of either 3/8", 1/2" or 5/8" outside diameter.
- For use with 377777 flare adapter fittings using the Russell Tube Nut/Tube Sleeve combination or our Hard Tube Adapters.
- Used for routing fuel line along frame rails and Y-Blocks or pump to carburetor.

| TUBE SIZE/COLOR | PART # | TUBE SIZE/COLOR | PART # |
|-----------------|--------|-----------------|--------|
| 3/8" Blue | 639250 | 1/2" Blue | 639270 |
| 3/8" Red | 639260 | 1/2" Red | 639280 |
| 3/8" Black | 639253 | 1/2" Black | 639273 |
| 3/8" Natural | 639480 | 1/2" Natural | 639490 |

ALUMINUM FUEL LINE ADAPTERS

- Connects to 3/8" or 1/2" aluminum tube to -6 or -8 adapters
- Unique crimp design eliminates tube flaring
- Available in male or female ends for 3/8" or 1/2" tubing

Aluminum Fuel Line Adapters

| DESCRIPTION | Red/Blue | Black |
|-------------------------------|----------|--------|
| -6 Female Swivel to 3/8" Line | 639200 | 639203 |
| -6 Male 37° to 3/8" Line | 639210 | 639213 |
| -8 Female Swivel to 1/2" Line | 639220 | 639223 |
| -8 Male 37° to 1/2" Line | 639230 | 639233 |

Tube Nut

| TUBE SIZE | Blue | Endura | Black |
|-----------------|--------|--------|--------|
| 3/8" (2 per/pk) | 660570 | 660571 | 660573 |
| 1/2" (2 per/pk) | 660580 | 660581 | 660583 |
| 5/8" (1 per/pk) | 660590 | 660591 | 660593 |

Tube Sleeve

| TUBE SIZE | Blue | Endura | Black |
|-----------------|--------|--------|--------|
| 3/8" (2 per/pk) | 660650 | 660651 | 660653 |
| 1/2" (2 per/pk) | 660660 | 660661 | 660663 |
| 5/8" (1 per/pk) | 660670 | 660671 | 660673 |

641523



RUSSELL COMPLETE FUEL SYSTEM KITS

Carbureted Applications featuring Fuel Pump #1792

| APPLICATION | Red/Blue | Black |
|--|----------|--------|
| Edelbrock Dual-Feed Thunder Series AVS Carbs | 641510 | 641513 |
| Holley®/Demon Dual-Feed Carbs | 641520 | 641523 |

Carbureted Applications featuring Fuel Pump #1791 (no regulator required)

| APPLICATION | Red/Blue | Black |
|--|----------|--------|
| Edelbrock Dual-Feed Thunder Series AVS Carbs | 641580 | 641583 |
| Holley®/Demon Dual-Feed Carbs | 641590 | 641593 |

EFI Applications

| APPLICATION | Red/Blue | Black |
|---|----------|--------|
| Chevy LS1 w/Edelbrock Victor Jr. manifold #28095 | 641530 | 641533 |
| Holley®/Demon Dual-Feed Carbs | 641540 | 641543 |
| Complete Fuel Line Kit for Chevy LS1 & Chrysler 5.7L HEMI | 641600 | --- |

FUEL PLUMBING KITS

EFI Applications Firewall to Manifold

Russell Fuel Plumbing Kits include all of the necessary components to plumb your fuel system from the firewall to the manifold.

| APPLICATION | Red/Blue | Black/Silver |
|--------------------------------------|----------|--------------|
| Ford 5.0L passenger car applications | 641550 | 641553 |
| Honda B-Series engines | 641570 | 641573 |

INNER COILS

These Inner Coils can be inserted into Russell ProClassic Hose to prevent collapsing caused by vacuum, sharp turns, etc. For use with ProClassic Hose.

| SIZE/LENGTH | PART # |
|-------------|--------|
| -12 / 4 in. | 651312 |
| -16 / 4 in. | 651316 |

RUSSELL

Russell Performance has been the leader in advanced fluid transfer for over a quarter of a century. We manufacture a complete line of hose and fittings for fuel, brake, water and oil systems for automotive, motorcycle and marine.



FLARE TO PIPE PRESSURE ADAPTER (1/8" NPT Side Port)

| PipeSize / AN Size | Red/Blue | Endura | Black |
|--------------------|----------|--------|--------|
| 1/4" / -6 AN | 670050 | 670051 | ---- |
| 3/8" / -6 AN | 670060 | 670061 | 670063 |
| 3/8" / -8 AN | 670080 | 670081 | 670083 |



FUEL PRESSURE TAKE OFF BANJO BOLT

| Description | Part # |
|--|--------|
| 12mm x 1.25" w/1/8" NPT Port (for use w/640910, 641110, 641120) Fits many Hondas & Toyotas. | 640700 |



UNIVERSAL TURBO FITTINGS


| Description | Part # |
|--|--------|
| Oil drain to male -10 AN adapter blue anodized aluminum, includes vitron® O-ring | 697070 |
| Water inlet/outlet 14mm banjo to -6 Twist-Lok hose adapter, zinc plated steel, includes gasket and mounting bolts | 697080 |
| Oil pan flange, adapts a male -10 AN to any oil pan, zinc plated steel, includes gasket and mounting bolts | 697090 |
| Oil inlet (7/16" -24 inverted flare) to -6 male AN, zinc plated steel | 697100 |



DUAL INLET KITS

-6 dual inlet for Holley®

| Application | Red/Blue | Endura | Blk/Slvr |
|---|----------|--------|----------|
| Holley® (except 4010/4011) without gauge | 641090 | 641091 | 641093 |
| Holley® (except 4010/4011) with gauge | 641100 | 641101 | ---- |




-8 DUAL INLET WITH BUILT IN FILTER

| Application | Red/Blue | Endura |
|--|----------|--------|
| All dual feed Holley® carbs (except 4010/4011) with 7/8" -20 inlets | 641270 | 641271 |
| All Holley® Dominator carbs with 7/8" -20 inlets | 641350 | 641351 |
| All Demon™ carbs with 9/16" inlets | 641280 | 641281 |
| For King Demon™ carbs | 641360 | 641361 |

-8 DUAL INLET FOR 4500 HOLLEY

| Part # | Application |
|------------------|---|
| 641140 | -8 Dual Inlet Kit for 4500 Holley® Dominator without gauge, -8 ProFlex stainless steel braided hose and Full Series Flow Hose Ends. Includes -8 male inlet, 1/8" female pipe port for optional fuel pressure gauge, complete with fuel bowl washers. |
| Endura 641141 | |



-8 DUAL INLET FOR DUAL FEED HOLLEY

| Application | Part # |
|---|--------|
| -8 Dual Inlet Kit for Dual Feed Holley® (except 4010/4011) without gauge, -8 ProFlex stainless steel braided hose and Full Flow Hose Ends. Includes -8 male inlet, 1/8" female pipe port for optional fuel pressure gauge, and fuel bowl washers. | 641150 |
| Endura | 641151 |

-8 DUAL INLET FOR DEMON

| Part # | Application |
|------------------|---|
| 641180 | -8 Dual Inlet Kit for Demon™ without gauge, -8 ProFlex stain less steel braided hose and Full Flow Hose Ends. Includes -8 male inlet, 1/8" female pipe port for optional fuel pressure gauge, and fuel bowl washers. |
| Endura 641181 | |
| Black 641183 | |



-8 DUAL INLET FOR DUAL FEED HOLLEY

| Application | Part # |
|--|--------|
| -8 Dual Inlet Kit for Dual Feed Holley® (except 4010/4011) without gauge, -8 blue Twist-Lok hose and Twist-Lok Hose Ends, -8 male inlet, 1/8" female pipe port for optional fuel pressure gauge, complete with fuel bowl washers. | 641160 |



-6 DUAL INLET FOR DEMON®

| Application | Red/Blue | Endura | Black/Silver |
|----------------------------------|----------|--------|--------------|
| Demon® dual inlet kit w/o gauge | 641250 | 641251 | 641253 |
| Demon® dual inlet kit with gauge | 641260 | 641261 | ---- |



Edelbrock

FUEL PUMP TO CARB HOSE KITS

Designed for Edelbrock Square-Bore Carbs, our pre-fitted stainless hoses connect the fuel filter to an Edelbrock street fuel pump or any pump with 3/8" NPT outlet including the Russell hose, fittings and fuel filters. Note: Will not work with OEM or equivalent fuel pumps.

| DESCRIPTION | PART # |
|--|--------|
| ProClassic Fuel Hose with Street Filter | 8102 |
| ProClassic Fuel Hose with Competition Filter | 8103 |




Edelbrock

FUEL LINE KITS AND HOSES for STREET APPLICATIONS

| Fuel Line and Filter Kit | PART # |
|--|--------|
| DESCRIPTION | |
| Fuel line and filter kit, -6 AN | 8134 |
| Fuel line without filter, includes 3/8" barb | 8126 |

Pre-Fitted Stainless Steel Hoses

| APPLICATION | PART # |
|--------------------------|--------|
| Small-Block Chevy, -6 AN | 8123 |
| Big-Block Chevy, -6 AN | 8124 |
| Small-Block Ford, -6 AN | 8125 |





RUSSELL

Russell Performance has been the leader in advanced fluid transfer for over a quarter of a century. We manufacture a complete line of hose and fittings for fuel, brake, water and oil systems for automotive, motorcycle and marine.



PRO CLASSIC HOSE

All The Performance, Less Weight and Great Looks!

For racers and performance enthusiasts who want high quality plumbing that is lighter and easier to assemble than traditional braided steel hose. This high pressure hose is rated up to 350 psi and is easy to cut and assemble. Match with the Pro Classic hose ends and adapters for the latest hottest look.

| SIZE | 3' | 6' | 10' | 20' | 50' | 100' |
|------|--------|--------|--------|--------|--------|--------|
| -4 | 632003 | 632013 | 632023 | 632043 | 630253 | 630263 |
| -6 | 632053 | 632063 | 632073 | 632093 | 630273 | 630283 |
| -8 | 632103 | 632113 | 632123 | 632143 | 630293 | 630303 |
| -10 | 632153 | 632163 | 632173 | 632193 | 630313 | 630323 |
| -12 | 632203 | 632213 | 632223 | 632243 | 630333 | 630343 |
| -16 | 632253 | 632263 | 632273 | 632293 | 630353 | --- |

FULL FLOW SWIVEL HOSE ENDS

45° End

| AN Size | Red/Blue Part # | Endura Part # | Black/Silver Part # |
|---------|-----------------|---------------|---------------------|
| -6 | 613090 | 613091 | 613093 |
| -8 | 613100 | 613101 | 613103 |
| -10 | 613110 | 613111 | 613113 |
| -12 | 613120 | 613121 | 613123 |
| -16 | 613130 | 613131 | --- |

Black/Silver



90° End

| AN Size | Red/Blue Part # | Endura Part # | Black/Silver Part # |
|---------|-----------------|---------------|---------------------|
| -6 | 613160 | 613161 | 613163 |
| -8 | 613170 | 613171 | 613173 |
| -10 | 613180 | 613181 | 613183 |
| -12 | 613190 | 613191 | 613193 |
| -16 | 613200 | 613201 | --- |

Endura



120° End Standard Radius & Tight Radius

| AN Size | Red/Blue Part # | Endura Part # | Red/Blue Part # | Endura Part # |
|---------|-----------------|---------------|-----------------|---------------|
| -6 | 613220 | 613221 | 613400 | 613401 |
| -8 | 613230 | 613231 | 613410 | 613411 |
| -10 | 613240 | 613241 | 613420 | 613421 |
| -12 | 613250 | 613251 | 613430 | 613431 |
| -16 | 613310 | 613311 | 613440 | 613441 |

Red/Blue



45° and 90° Swivel Pipe Hose Ends

| AN Size | Pipe Size | 45° Red/Blue Part # | 90° Red/Blue Part # |
|---------|-----------|---------------------|---------------------|
| -6 | 1/8" NPT | 612150 | 612170 |
| -6 | 1/4" NPT | 612000 | 612090 |
| -6 | 3/8" NPT | 612160 | 612180 |
| -8 | 3/8" NPT | 612010 | 612100 |
| -8 | 1/2" NPT | 612020 | 612110 |
| -10 | 1/2" NPT | 612030 | 612120 |
| -12 | 1/2" NPT | 612040 | 612130 |
| -12 | 3/4" NPT | 612050 | 612140 |



PROFLEX STAINLESS STEEL BRAIDED HOSE

ProFlex pre-packaged rolls



| SIZE | 3' | 6' | 10' | 15' | 20' | 50' | 100' |
|------|--------|--------|--------|--------|--------|--------|--------|
| -4 | 632000 | 632010 | 632020 | 632030 | 632040 | 630250 | 630260 |
| -6 | 632050 | 632060 | 632070 | 632080 | 632090 | 630270 | 630280 |
| -8 | 632100 | 632110 | 632120 | 632130 | 632140 | 630290 | 630300 |
| -10 | 632150 | 632160 | 632170 | 632180 | 632190 | 630310 | 630320 |
| -12 | 632200 | 632210 | 632220 | 632230 | 632240 | 630330 | 630340 |
| -16 | 632250 | 632260 | 632270 | 632280 | 632290 | 630350 | --- |
| -20 | 632300 | 632310 | 632320 | 632330 | --- | --- | --- |

TIGHT RADIUS SWIVEL HOSE ENDS

150° end standard radius & tight radius

| AN Size | Red/Blue Part # | Endura Part # | Tight Radius Red/Blue Part # | Endura Part # |
|---------|-----------------|---------------|------------------------------|---------------|
| -6 | 613350 | 613351 | 613450 | 613451 |
| -8 | 613360 | 613361 | 613460 | 613461 |
| -10 | 613370 | 613371 | 613470 | 613471 |
| -12 | 613380 | 613381 | 613480 | 613481 |
| -16 | 613390 | 613391 | 613490 | 613491 |



180° end standard radius & tight radius

| AN Size | Red/Blue Part # | Endura Part # | Tight Radius Red/Blue Part # | Endura Part # |
|---------|-----------------|---------------|------------------------------|---------------|
| -6 | 613260 | 613261 | 613500 | 613501 |
| -8 | 613270 | 613271 | 613510 | 613511 |
| -10 | 613280 | 613281 | 613520 | 613521 |
| -12 | 613290 | 613291 | 613530 | 613531 |
| -16 | 613300 | --- | 613540 | 613541 |



Straight End

| AN Size | Red/Blue Part # | Endura Part # | Blk/Slvr Part # |
|---------|-----------------|---------------|-----------------|
| -4 | 610010 | 610011 | 610013 |
| -6 | 610020 | 610021 | 610023 |
| -8 | 610030 | 610031 | 610033 |
| -10 | 610040 | 610041 | 610043 |
| -12 | 610050 | 610051 | 610053 |
| -16 | 610060 | 610061 | --- |
| -20 | 610070 | --- | --- |

120° End

| AN Size | Red/Blue Part # | Center Line Radius |
|---------|-----------------|--------------------|
| -6 | 610220 | 1" |
| -8 | 610230 | 1-1/4" |
| -10 | 610240 | 1-1/4" |
| -12 | 610250 | 1-1/2" |

45° End


| AN Size | Red/Blue Part # | Endura Part # | Blk/Slvr Part # |
|---------|-----------------|---------------|-----------------|
| -4 | 610080 | 610081 | 610083 |
| -6 | 610090 | 610091 | 610093 |
| -8 | 610100 | 610101 | 610103 |
| -10 | 610110 | 610111 | 610113 |
| -12 | 610120 | 610121 | 610123 |
| -16 | 610130 | 610131 | --- |
| -20 | 610140 | --- | --- |

180° End

| AN Size | Red/Blue Part # | Center Line Radius |
|---------|-----------------|--------------------|
| -6 | 610260 | 1" |
| -8 | 610270 | 1-1/4" |
| -10 | 610280 | 1-1/4" |
| -12 | 610290 | 1-1/2" |

90° End

| AN Size | Red/Blue Part # | Endura Part # | Black/Silver Part # | Center Line Radius |
|---------|-----------------|---------------|---------------------|--------------------|
| -4 | 610150 | 610151 | 610153 | 1/2" |
| -6 | 610160 | 610161 | 610163 | 1/2" |
| -8 | 610170 | 610171 | 610173 | 1/2" |
| -10 | 610180 | 610181 | 610183 | 5/8" |
| -12 | 610190 | 610191 | 610193 | 7/8" |
| -16 | 610200 | 610201 | --- | 1" |
| -20 | 610210 | --- | --- | 1-1/4" |



RUSSELL

Russell Performance has been the leader in advanced fluid transfer for over a quarter of a century. We manufacture a complete line of hose and fittings for fuel, brake, water and oil systems for automotive, motorcycle and marine.



SPECIALTY ADAPTER FITTINGS

Straight Swivel Coupler



| AN Size | Red/Blue Part # | Endura Part # | Black Part # |
|---------|-----------------|---------------|--------------|
| -4 | 640140 | 640141 | ---- |
| -6 | 640000 | 640001 | 640003 |
| -8 | 640010 | 640011 | 640013 |
| -10 | 640020 | 640021 | 640023 |
| -12 | 640030 | 640031 | 640033 |

45° Swivel Coupler



| AN Size | Red/Blue Part # | Endura Part # |
|---------|-----------------|---------------|
| -4 | 640150 | 640151 |
| -6 | 640040 | 640041 |
| -8 | 640050 | 640051 |
| -10 | 640060 | 640061 |
| -12 | 640070 | 640071 |

90° Swivel Coupler



| AN Size | Blue Part # | Endura Part # | Black Part # |
|---------|-------------|---------------|--------------|
| -4 | 640250 | 640251 | ---- |
| -6 | 640160 | 640161 | 640163 |
| -8 | 640170 | 640171 | 640173 |
| -10 | 640180 | 610181 | ---- |
| -12 | 640190 | 610191 | ---- |

CARB/FUEL PUMP ADAPTER FITTINGS



| AN Size | Zinc-Plated Steel Part # | Endura Part # | Qty |
|---------|--------------------------|---------------|-----|
| -6 | 640330 | 640331 | 1 |
| -8 | 640390 | ---- | 1 |

APPLICATION: Chrysler and early Chevy pumps with 1/2"-20 inverted flare thread.

CARB ADAPTER FITTINGS

| AN Size | Blue Part # | Endura Part # | Black Part # | Qty |
|---------|-------------|---------------|--------------|-----|
| -6 | 640240 | 640241 | 640243 | 1 |

APPLICATION: Carter, AFB, Edelbrock Performer Series Carburetors with 5/8"-20 thread.

| AN Size | Zinc-Plated Steel Part # | Endura Part # | Black Part # | Qty |
|---------|--------------------------|---------------|--------------|-----|
| -6 | 640200 | 640201 | 640203 | 2 |

APPLICATION: Holley® Single Feed 600-660 Series, Holley® Dual Feed 4010-4011 Series, all 2-bbl. Series and Demon® with 9/16"-24 thread.

| AN Size | Steel Part # | Endura Part # | Qty |
|---------|--------------|---------------|-----|
| -6 | 640380 | 640381 | 1 |
| -8 | 640400 | ---- | 1 |

APPLICATION: Chevy fuel pumps (1970 and later) and Holley® inline filters with 5/8"-18 inverted flare thread.

| AN Size | Red/Blue Part # | Endura Part # | Black Part # | Qty |
|---------|-----------------|---------------|--------------|-----|
| -6 | 640270 | 640271 | 640273 | 1 |

APPLICATION: Edelbrock Thunder Series carbs, Edelbrock Performer Series carbs and Carter AFB 5/8"-20 thread. Banjo fitting connects directly to hose.

| AN Size | Red/Blue Part # | Endura Part # | Black Part # | Qty |
|---------|-----------------|---------------|--------------|-----|
| -6 | 640230 | 640231 | 640233 | 1 |

APPLICATION: Holley® Single Feed 600-660 Series, and all two barrel series with 9/16" - 24 thread. Banjo fitting assemblies directly to hose.

| AN Size | Red Part # | Endura Part # | Black Part # | Qty |
|---------|------------|---------------|--------------|-----|
| -6 | 640220 | 640221 | 640223 | 1 |

APPLICATION: Holley® Dual Feed 750 through Dominator 1350 Series and Quadrajet up to 1974 with 7/8"-20 thread

CARB ADAPTER FITTINGS

| AN Size | Red Part # | Endura Part # | Black Part # | Qty. |
|---------|------------|---------------|--------------|------|
| -8 | 640210 | 640211 | 640213 | 2 |

APPLICATION: Holley® Dual Feed 750 thru Dominator 1350 Series. Overall length is 2".



HOLLEY® FUEL PUMP REGULATOR FITTING

| AN Size | Pipe Size | Red Part # | Endura Part # | Black Part # | Qty. |
|---------|-----------|------------|---------------|--------------|------|
| -10 | 3/8" | 670030 | 670031 | 670033 | 1 |



BANJO FUEL FITTINGS

| DESCRIPTION | Qty. | Blue Part # | Black Part # |
|--|------|-------------|--------------|
| -6 AN male flare for Civics w/o Fuel Pressure Damper (12mm) | 1 | 640910 | 640913 |
| -6 AN male flare for Civics with Fuel Pressure Damper (12mm) | 1 | 640920 | 640923 |



PUSH-ON EFI FITTINGS (for OEM Hard Lines)

| DESCRIPTION | Qty. | Blue Part # | Black Part # |
|--------------------------------|------|-------------|--------------|
| -6 to 3/8" hard tube adapters | 1 | 640850 | 640853 |
| -6 to 5/16" hard tube adapters | 1 | 640860 | 640863 |



FORD EFI FITTINGS

| DESCRIPTION | Qty. | Blue Part # | Black Part # |
|---|------|-------------|--------------|
| Ford return side EFI x -6 AN | 1 | 640870 | 640873 |
| Ford pressure side EFI x -8 AN | 1 | 640880 | 640883 |
| Ford pressure side EFI x -6 AN pressure | 1 | 640900 | 640903 |



EFI FUEL PRESSURE FITTING

| Part # | Description | Qty. |
|--------|--|------|
| 640890 | Ford EFI Fuel Pressure -4 AN x 1/16" NPT | 1 |



CARB INLET FITTINGS

| AN Size | Red Part # | Endura Part # | Qty. |
|---------|------------|---------------|------|
| -8 | 640750 | 640751 | 2 |

APPLICATION: Holley® Dual Feed 750 thru Dominator 1350 Series. Overall length is 3-1/4".



FUEL PRESSURE TAKE OFF (1/8" NPT Port Side)

| AN Size | Red/Blue Part # | Black Part # |
|---------|-----------------|--------------|
| -4 | 670290 | ---- |
| -6 | 670340 | 670343 |
| -8 | 670350 | 670353 |
| -10 | 670360 | ---- |

FLARE UNION PRESSURE ADAPTER (1/8" NPT Port Side)

| AN Size | Blue Part # | Endura Part # |
|---------|-------------|---------------|
| -6 | 670000 | 670001 |
| -8 | 670010 | 670011 |





RUSSELL

Russell Performance has been the leader in advanced fluid transfer for over a quarter of a century. We manufacture a complete line of hose and fittings for fuel, brake, water and oil systems for automotive, motorcycle and marine.

ADAPTER FITTINGS

- Aerospace aluminum with a protective blue anodized finish, utilize a 37° sealing angle which guarantees a positive seal at maximum operating pressures.
- Available in many angles for every plumbing application.

| SIZE | PIPE SIZE | AN FLARE UNION | ENDURA FLARE UNION | BLACK FLARE UNION | AN FLARE TO PIPE STRAIGHT | ENDURA FLARE TO PIPE STRAIGHT | BLACK FLARE TO PIPE STRAIGHT | AN 90° FLARE TO PIPE | ENDURA 90° FLARE TO PIPE | BLACK 90° FLARE TO PIPE | AN FLARE TEE | ENDURA FLARE TEE | BLACK FLARE TEE |
|------|-----------|----------------|--------------------|-------------------|---------------------------|-------------------------------|------------------------------|----------------------|--------------------------|-------------------------|--------------|------------------|-----------------|
| 3 | 1/8" | 660330 | 660331 | — | 660410 | 660411 | — | 660790 | 660791 | — | 660990 | 660991 | — |
| 4 | 1/8" | 660340 | 660341 | 660343 | 660420 | 660421 | 660423 | 660800 | 660801 | 660803 | 661000 | 661001 | 661003 |
| 4 | 1/4" | — | — | — | 660430 | 660431 | 660433 | 660810 | 660811 | 660813 | — | — | — |
| 6 | 1/4" | 660350 | 660351 | 660353 | 660440 | 660441 | 660443 | 660820 | 660821 | 660823 | 661020 | 661021 | 661023 |
| 6 | 1/8" | — | — | — | 660450 | 660451 | 660453 | 660830 | 660831 | 660833 | — | — | — |
| 6 | 3/8" | — | — | — | 660460 | 660461 | 660463 | 660840 | 660841 | 660843 | — | — | — |
| 8 | 1/4" | 660360 | 660361 | 660363 | 660470 | 660471 | — | 660850 | 660851 | — | 661030 | 661031 | 661033 |
| 8 | 3/8" | — | — | — | 660480 | 660481 | 660483 | 660860 | 660861 | 660863 | — | — | — |
| 8 | 1/2" | — | — | — | 660490 | 660491 | 660493 | 660870 | 660871 | 660873 | — | — | — |
| 10 | 1/2" | 660370 | 660371 | 660373 | 660500 | 660501 | 660503 | 660880 | 660881 | 660883 | 661040 | 661041 | — |
| 12 | 3/4" | 660380 | 660381 | — | 660510 | 660511 | 660513 | 660890 | 660891 | 660893 | — | — | — |
| 12 | 1/2" | — | — | — | 660520 | 660521 | 660523 | 660900 | 660901 | 660903 | 661050 | 661051 | — |
| 16 | 1" | 660390 | 660391 | — | 660530 | 660531 | — | 660910 | 660911 | — | — | — | — |
| 16 | 3/4" | — | — | — | 660540 | 660541 | — | 660920 | 660921 | — | — | — | — |

| SIZE | PIPE SIZE | AN STRAIGHT FLARE BULKHEAD | ENDURA STRAIGHT FLARE BULKHEAD | BLACK STRAIGHT FLARE BULKHEAD | AN ALLEN SOCKET PIPE PLUG | ENDURA ALLEN SOCKET PIPE PLUG | BLACK ALLEN SOCKET PIPE PLUG |
|------|-----------|----------------------------|--------------------------------|-------------------------------|---------------------------|-------------------------------|------------------------------|
| 3 | 1/8" | 661160 | 661161 | — | — | — | — |
| 4 | 1/8" | 661170 | 661171 | — | 662030 | 662031 | 662033 |
| 6 | 1/4" | 661180 | 661181 | 661183 | 662040 | 662041 | 662043 |
| 8 | 3/8" | 661190 | 661191 | 661193 | 662050 | 662051 | 662053 |
| 10 | 1/2" | 661200 | 661201 | — | 662060 | 662061 | 662063 |
| 12 | 1/2" | 661210 | 661211 | — | 662070 | 662071 | — |
| 16 | 3/4" | 661220 | 661221 | — | — | — | — |



BRAKE ASSEMBLIES & COMPONENTS NOW D.O.T. APPROVED

SPEED BLEEDER SCREWS

The threads of the Speed Bleeder are coated with a permanent sealant, which in conjunction with the one-way internal valve, lets the air and fluid out but prevents air from entering the system. To bleed the brakes, simply open the screw 1/4 to 1/2 turn, then pump the brakes. Once all the air from the lines is removed, tighten the bleeder screw, and you're finished.

Part No. 639XXX Series



UNIVERSAL BRAKE HOSE ASSEMBLIES with Nostalgia Black Finish

Available in these configurations:

- Straight -3 to Straight -3
- 10mm Banjo/3/8" to Straight -3
- 90° -3 to Straight -3
- 45° -3 to Straight -3

Available in 9", 12", 15" and 16" lengths. Also available in Endura finish and black zinc adapters.



DOT 5 BRAKE FLUID

Developed for severe service and competition applications. Complies with Federal Motor Vehicle Safety Standard #116. Russell silicone brake fluid will not absorb moisture and is factory recommended for use with all Russell PowerFlex™ Hoses.

Part No. 671441



STREET LEGAL™ BRAKE SYSTEM

Ready to install SS Braided Hose Kits meet the strict guidelines of D.O.T. MVSS-106 requirements for street driven vehicles. Featuring stainless steel braided hose with zinc plated fittings, factory assembled for installation convenience.

Street Legal



| Application | Part Number |
|--|-------------|
| Truck Applications | |
| 87-95 Jeep Wrangler | 695940 |
| 88-98 GM K1500/2500 4WD P/U & 92-99 Suburban | 672370 |
| 88-98 C1500/2500 1/2-3/4 Ton 2WD PU/ Suburban, | |
| 95-98 C1500 2WD Full Size Blazer | 672340 |
| 77-81 Jeep CJ5/CJ7 w/4" lift, Front Disc Only | 695910 |
| 82-86 Jeep CJ5/CJ7 w/4" lift | 695900 |
| Passenger Vehicle Applications | |
| 69-76 Chevrolet/Pontiac | 692080 |
| 79-88 Monte Carlo, 79-81 Pontiac Grand AM, 79-87 Grand Prix | 692100 |
| 77-81 Camaro/Firebird | 692030 |
| 97-04 Corvette C-5 & Z06 | 692190 |
| 63-82 Corvette | 692000 |
| 87-93 Ford Mustang | 693010 |
| 68-70 Ford Mustang (Fronts Only) | 693150 |
| 99-03 Ford Mustang Cobra with IRS | 693270 |
| 99-03 Ford Mustang 6-cyl. & GT with 4-wheel ABS | 693210 |
| 94-95 Ford Mustang Cobra | 693350 |
| 96-98 Ford Mustang Cobra (Fronts Only) | 693170 |
| 65-66 Ford Mustang | 693050 |
| Sport Compact Vehicle Applications | |
| 94-01 Acura Integra LS, GSR | 684850 |
| 99-00 Honda Civic Si | 684510 |
| 92-95 Honda Civic | 684600 |
| 02-05 Acura RSX Coupe (including S-Type), 03-05 Honda Civic Si | 684890 |
| 02-05 Subaru Impreza (including WRX) | 689700 |

Shadow Series Fittings

Mr. Gasket's Shadow Series is the hottest new look in AN fittings. Each fitting is precision built from aluminum with a unique black and silver appearance. These fittings are available in push-on and traditional stainless braid versions allowing incorporation in virtually any plumbing project.



Cutter Type Swivel



Push-On

PUSH-ON RUBBER HOSE

Construct of an Elastomer inner tube with a textile reinforcement and an Elastomer cover. Temperature range of -40° F to 300° F. Air not to exceed 250° F and water not to exceed 180° F. Can be used with gasoline, fuel and lubrication oils, air and water.



| DESCRIPTION | 4 Ft. | 10 Ft. |
|-------------------------|-------|--------|
| Straight Push-On | | |
| -4 AN | R44 | R104 |
| -6 AN | R46 | R106 |
| -8 AN | R48 | R108 |
| -10 AN | R410 | R1010 |
| -12 AN | R412 | R1012 |

Also available in 25 ft. increments.



HOSE FINISHERS

Our Shadow series hose finishers come in both our unique black and titanium anodized colors as well as a clear anodized finish. These finishers can be used in conjunction with our push on fittings for the swivel seal look, or anywhere else you'd use a hose clamp.

| DESCRIPTION | Titanium | Clear | Black |
|-----------------|----------|-------|-------|
| -4 (1/4" ID) | E41 | E42 | E43 |
| -6 (3/8" ID) | E61 | E62 | E63 |
| -8 (1/2" ID) | E81 | E82 | E83 |
| -10 (5/8" ID) | E101 | E102 | E103 |
| -12 (3/4" ID) | E121 | E122 | E123 |
| -24 (1-1/2" ID) | E241 | E242 | E243 |
| -32 (2" ID) | E321 | E322 | E323 |

PUSH-ON TYPE FITTINGS AND RUBBER PUSH-ON HOSE

These fittings offer high strength, capable of 250 psi, good looks, and ease of assembly and installation. Manufactured from high strength aluminum and finished in Shadow Series anodizing color scheme.

CUTTER TYPE SWIVEL FITTINGS

For use with Stainless Steel Braided Hose

When maximum performance and durability are required, Mr. Gasket swivel fittings deliver. Engineered to withstand 1000 psi. Compatible with virtually all automotive chemicals.

| DESCRIPTION | Push On | Cutter Style |
|--------------------|---------|--------------|
| Straight | | |
| -4 AN | P4 | S4 |
| -6 AN | P6 | S6 |
| -8 AN | P8 | S8 |
| -10 AN | P10 | S10 |
| -12 AN | P12 | S12 |
| 45° Fitting | | |
| -4 AN | P454 | F454 |
| -6 AN | P456 | F456 |
| -8 AN | P458 | F458 |
| -10 AN | P4510 | F4510 |
| -12 AN | P4512 | F4512 |
| 90° Fitting | | |
| -4 AN | P904 | F904 |
| -6 AN | P906 | F906 |
| -8 AN | P908 | F908 |
| -10 AN | P9010 | F9010 |
| -12 AN | P9012 | F9012 |



#SC4



#A7881



#A9166

COUPLINGS, UNIONS AND ADAPTERS

The Shadow Series offers dozens of adapters, unions, plugs and couplings, a few of which are merchandised here. See your store counterperson for a full selection.

| DESCRIPTION | PART NO. |
|----------------------------|----------|
| Swivel Coupling | |
| -4 AN | SC4 |
| -6 AN | SC6 |
| -8 AN | SC8 |
| -8 AN to -6AN | SC86 |
| Pipe to AN Adaptors | |
| 1/8" Pipe to -4AN | A184B |
| 1/2" Pipe to -6AN | A146B |
| 3/8" Pipe to -8AN | A388B |
| Carburetor Adaptors | |
| Carter/Edelbrock, -6AN | A586 |
| Single Inlet Holley, -6AN | A9166 |
| Dual Inlet- short, -6AN | A7861 |
| Rochester, 6AN | A7862 |
| Dual Inlet- standard, -8AN | A7881 |



Vibrant Performance

Vibrant Power Inc. is a leading manufacturer of Automotive and Industrial exhaust systems and components. Since 1985, Vibrant has been supplying exhaust products and engineering services to OEM and Aftermarket companies located in more than 50 countries worldwide.



INTERCOOLERS Complete Assembly

Vibrant's 2nd Generation Intercoolers feature premium bar and plate construction in order to provide superior cooling efficiency and overall strength and durability as compared to "tube and fin" cores. Available as a complete assembly (with end tanks welded to the core) or choose the "Core Only" option. Aluminum end tanks for welding to the intercooler cores are also available.

| DESCRIPTION | PART NO. |
|--|----------|
| Dimensions: 18" W x 6-1/2" H x 3-1/4" T, Overall Length: 26" 2-1/2" Center Inlet/2-1/2" Center Outlet | 12800 |
| Dimensions: 22" W x 9" H x 3-1/4" T, Overall Length: 30" 2-1/2" Offset Inlet/2-1/2" Offset Outlet | 12810 |
| Dimensions: 25" W x 12" H x 3-1/4" T, Overall Length: 32" 3" Offset Inlet/3" Offset Outlet | 12815 |



INTERCOOLERS Core Only

| DESCRIPTION | PART NO. |
|---|----------|
| Dimensions: 18" W x 6-1/2" H x 3-1/4" T | 12830 |
| Dimensions: 22" W x 9" H x 3-1/4" T | 12831 |
| Dimensions: 25" W x 12" H x 3-1/4" T | 12832 |

INTERCOOLERS Endtanks

| DESCRIPTION | PART NO. | DESCRIPTION | PART NO. |
|-------------------|----------|-------------------|----------|
| For #12830 | | For #12832 | |
| 2" Neck O.D. | 2840 | 2" Neck O.D. | 2855 |
| 2-1/4" Neck O.D. | 2841 | 2-1/4" Neck O.D. | 2856 |
| 2-1/2" Neck O.D. | 2842 | 2-1/2" Neck O.D. | 2857 |
| For #12831 | | 3" Neck O.D. | 2858 |
| 2" Neck O.D. | 2845 | | |
| 2-1/4" Neck O.D. | 2846 | | |
| 2-1/2" Neck O.D. | 2847 | | |



QUICK RELEASE BOOST BRACE

Allows for ultra secure, worry free joining of intercooler piping. They are like an insurance policy to ensure that your I/C piping never blows off from the silicone connectors ever again. No tools are required to release the brace from the mounting tabs that you weld to your intercooler pipes. Length can be adjusted.



| DESCRIPTION | PART NO. |
|---|----------|
| Quick Release Boost Brace w/Aluminum Feet - Polished | 12640 |
| Quick Release Boost Brace w/Stainless Steel Feet - Polished | 12641 |



V-BAND FLANGE ASSEMBLIES Stainless Steel V-Band Flange Assemblies

Each V-Band Flange Kit consists of two (2) V-band flanges and one (1) Quick Release Stainless Steel V-Band clamp.

| DESCRIPTION | PART NO. |
|--|----------|
| V-Band Assembly for 2" O.D. Tubing | 1488 |
| V-Band Assembly for 2-1/4" O.D. Tubing | 1489 |
| V-Band Assembly for 2-1/2" O.D. Tubing | 1490 |
| V-Band Assembly for 3" O.D. Tubing | 1491 |
| V-Band Assembly for 3-1/2" O.D. Tubing | 1492 |
| V-Band Assembly for 4" O.D. Tubing | 1493 |

Aluminum V-Band Flange Assemblies

Each Aluminum V-Band Flange Kit consists of two (2) V-band flanges and one (1) Viton O-ring and one (1) Quick Release V-band clamp.

| DESCRIPTION | PART NO. |
|--|----------|
| V-Band Assembly for 2-1/2" O.D. Tubing | 11490 |
| V-Band Assembly for 3" O.D. Tubing | 11491 |
| V-Band Assembly for 3-1/2" O.D. Tubing | 11492 |
| V-Band Assembly for 4" O.D. Tubing | 11493 |



STAINLESS STEEL EXHAUST MANIFOLD FLANGES

| DESCRIPTION | PART NO. |
|--|----------|
| Exhaust Manifold Flange for Honda B16/B18 motor | 1460 |
| Exhaust Manifold Flange for Honda D-series motor | 1460D |
| Exhaust Manifold Flange for Honda H22 motor | 1460H |
| Exhaust Manifold Flange for Honda/Acura K-series motor | 1460K |
| Exhaust Manifold Flange for Mitsubishi 4G63 motor | 1460M |

REINFORCED SILICONE CONNECTORS

Hump Hose Couplings



Straight Hose Couplings



45° & 90° Elbow Couplings



Transition Hose Couplings



Please see catalog or Parts Pro professional for the full range of sizes and part numbers.